



HAR32M / HAR35M
MULTI PURPOSE



HAR35R / HAR36R
ROPE ACCESS

BREAK
YOUR
LIMITS



enjoy safety.

f @ y in
www.deltaplus.eu

MORE THAN A NEW RANGE, A NEW ARCHITECTURE

DESIGNED TO OPTIMIZE ERGONOMICS AND FACILITATE EVERY ACTION. DESIGNED AND MANUFACTURED IN OUR OWN FACTORIES BY EXPERTS WITH EXCEPTIONAL KNOW-HOW.

MULTI PURPOSE/ROPE ACCESS



MULTI PURPOSES

CERTIFICATION AT 150 KG
VS EN361 / 100KG

UNISEX RANGE
DESIGNED TO EQUIP WOMEN
AND MEN

1 REMOVABLE 3D MESH COMFORT REINFORCEMENT
REDUCED TENSIONS
AND WEIGHT ON THE
SHOULDERS FOR OPTIMUM
BREATHABILITY

2 2 PARK LANYARDS
ON SHOULDERS

3 THERMOCOMPRESSED POSITIONING BELT
TO REDUCE LOWER BACK
STRESS

4 TEXTILE TOOL HOLDERS
ON BELT



ROPE ACCESS

1 VENTRAL POINT
DEDICATED TO
ROPE ACCESS
AND EVACUATION
TECHNIQUES

MULTI PURPOSE RANGE

Two colour harness. 2 fall arrester anchorage points (back - front). 5 adjustment buckles, including 3 automatic buckles and 2 irremovable buckles.

HAR32M

Soft padding on shoulders and at the pelvis level.

EN361
150kg

2 sizes :
S/M/L
XL/XXL




HAR35M

Positioning belt with thermocompressed back. 120° rotation. 2 work positioning anchorage points (lateral). 1 restraint anchorage point (back). Soft padding on shoulders.

EN361
150kg

EN358

2 sizes :
S/M/L
XL/XXL



ROPE ACCESS RANGE

A new architecture and many adjustments for work in suspension.

Two colour harness for rope access work, with sit harness. Positioning and seat belt with thermocompressed back and thighs. 120° rotation. 2 work positioning anchorage points (lateral). 1 restraint anchorage point (back). 1 suspension point (ventral). Soft padding on shoulders and thigh straps.

HAR35R

2 fall arrester anchorage points (back - front). 10 adjustment buckles, including 2 automatic buckles, 4 irremovable buckles, and 2 removable buckles. 1 automatic carabiner.

EN361
150kg

EN358

EN813
150kg

3 sizes :
S
M/L
XL/XXL




HAR36R

2 fall arrest anchorage points (dorsal-sternal). 9 adjustable buckles, including 2 automatic buckles and 5 irremovable buckles. 1 ventral blocker for rope access.

EN361
150kg

EN358

EN813
150kg

3 sizes :
S
M/L
XL/XXL

